



Standard Test Method for the Determination of Vapor Pressure of Petroleum Products (Mini Method) in accordance of ASTM D 5482 & ASTM D 5191.

DCG has available vapor pressure quality control samples for compliance with ASTM D 5482 & ASTM D 5191 (mini methods). The quality control samples consist of pure solvents of known vapor pressures. The samples are packaged in 10 mL flame sealed ampoules.

Part #: DCGVP1

Description: Vapor pressure standard of 68.3 kPa (9.91 p.s.i.)
Set of 10, 10 mL ampoules.

Part #: DCGVP2

Description: Vapor pressure standard of 68 kPa (9.86 p.s.i.)
Set of 10, 10 mL ampoules.

Part #: DCGVP3

Description: Vapor pressure standard of 51.1 kPa (7.41 p.s.i.)
Set of 10, 10 mL ampoules.

Part #: DCGVP4

Description: Vapor pressure standard of 46.7 kPa (6.77 p.s.i.)
Set of 10, 10 mL ampoules.

Part #: DCGVP5

Description: Vapor pressure standard of 22.5 kPa (3.26 p.s.i.)
Set of 10, 10 mL ampoules.

Part #: DCGVP6

Description: Vapor pressure standard of 7.1 kPa (1.03 p.s.i.)
Set of 10, 10 mL ampoules.

A stylized world map in yellow and blue, showing the continents and major lines of latitude and longitude, positioned in the background of the contact information.

4170 A Main Pearland, TX 77581 PH: 281-648-1894 FAX: 281-648-1895
www.dcgpartnership.com
E-mail: customerservice@dcgpartnership.com

Chromatographic Reference Materials