



Calibration Standards for Standard Test Method ASTM D 5599 for the Determination of Oxygenates in Gasoline by Gas Chromatography and Oxygen Selective Flame Ionization Detection

DCG has available NIST Traceable by weight gravimetrically prepared calibration standards, QC check standards, and Oxygenate Free Gasoline Blanks with 4.0 w/w % DME internal standards designed to help meet the requirements of ASTM D 5599. All standards in addition to being gravimetrically prepared and NIST Traceable by weight have been verified by one or more analytical methods. Custom standards are available upon request.

Part #: Cal Kit ASTM D 5599: \$ 250.00 per cal kit

Concentration: w/w percent

Packaged in 2 ml pre-scored amber ampoules

Components	Std # 1	Std # 2	Std # 3	Std # 4	Std # 5	Std # 6	Std # 7	Blank w/ internal standard
MTBE	5.00	17.00			1.00	2.50	10.00	
ETBE		3.50	18.00	7.50		1.00	11.70	
TAME		3.50	1.00	18.00	7.50	12.00		
DIPE		0.50	0.25	0.10	2.00	1.00		
Methanol		0.10	2.50		5.00	0.50	1.00	
Ethanol	12.00		3.00		8.00	5.00	1.00	
Iso-propanol	2.00	1.00		0.10	0.25		0.50	
n-Propanol	2.00		0.10	0.25	1.00		0.50	
Iso-butanol	2.00	0.50		1.00	0.10	0.25		
Tert-Butanol	0.50	0.10	1.00		2.00	0.25		
Sec-Butanol	1.00		0.50	0.10		2.50	0.70	
n-Butanol	1.00		0.25		0.50	0.10	2.00	
Tert-Amyl Alcohol	0.25	1.00		0.50	0.10	2.00		
1, 2 Dimethoxyethane (Internal Std)	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Oxygenate Free Gasoline	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance

Custom blended QC Check Standard for ASTM D 5599 available upon request

Prices are subject to change

4170 A Main Pearland, TX 77581 PH: 281-648-1894 FAX: 281-648-1895
www.dcgpartnership.com
 E-mail: sales@dcgpartnership.com

Chromatographic Reference Materials